

## MECHANICAL CHARACTERISTICS

---

| Size          | Units | Length       | Width        | Thickness         | End Band    |
|---------------|-------|--------------|--------------|-------------------|-------------|
| <b>01005</b>  | In    | .016 ±.001   | .008 ±.001   | .008 ±.001        | .006 Max.   |
| <b>(0402)</b> | mm    | (0.40 ±0.03) | (0.20 ±0.03) | (0.20 ±0.03)      | (0.15 Max.) |
| <b>0201</b>   | In    | .024 ±.001   | .012 ±.001   | .012 ±.001        | .008 Max.   |
| <b>(0603)</b> | mm    | (0.60 ±0.03) | (0.30 ±0.03) | (0.30 ±0.03)      | (0.20 Max.) |
| <b>0402</b>   | In    | .040 ±.004   | .020 ±.004   | .020 ±.004        | .010 ±.006  |
| <b>(1005)</b> | mm    | (1.02 ±0.1)  | (0.51 ±0.1)  | (0.51 ±0.1)       | (0.25 ±.15) |
| <b>0603</b>   | In    | .062 ±.006   | .032 ±.006   | .030 +.005/- .003 | .014 ±.006  |
| <b>(1608)</b> | mm    | (1.57 ±0.15) | (0.81 ±0.15) | (0.76 +.13-.08)   | (0.35 ±.15) |
| <b>0805</b>   | In    | .080 ±.008   | .050 ±.008   | .040 ±.006        | .020 ±.010  |
| <b>(2012)</b> | mm    | (2.03 ±0.20) | (1.27 ±0.20) | (1.02 ±.15)       | (0.50 ±.25) |